














# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI


11:09    •     


  vulms.vu.edu.pk/   

In EWB, logic 1 is represented by using the \_\_\_\_\_ line

Select the correct option

<input type="radio"/>	-V
<input checked="" type="radio"/>	Vcc
<input type="radio"/>	Ground
<input type="radio"/>	Vdd





For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

4:05 PM 75%

vulms.vu.edu.pk/Quiz/Q

MC220202559: TAYABA RANI Time Left: 88 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 1 Quiz) Quiz Start Time: 04:05 PM, 03 December 2022

Question # 1 of 5 (Start time: 04:05:42 PM, 03 December 2022) Total Marks: 1

Normally, the float data type is half of the size of \_\_\_\_\_.

Select the correct option  Keyword Math Equations

<input type="radio"/>	double
<input type="radio"/>	short
<input type="radio"/>	int
<input type="radio"/>	char

Click to Save Answer & Move to Next Questions

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:15 LTE

[vulms.vu.edu.pk](https://vulms.vu.edu.pk)

BC210426964: MUHAMMAD TALHA AMIAD Time Left: 89 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 1 Quiz) Quiz Start Time: 07:15 PM, 03 December 2022

Question # 1 of 5 (Start time: 07:15:02 PM, 03 December 2022) Total Marks: 1

In C/C++, which of the following data type is used to store real numbers?

Select the correct option Reload Math Equations

<input type="radio"/>	float
<input type="radio"/>	boolean
<input type="radio"/>	char
<input type="radio"/>	int

Click to Save Answer & Move to Next Question

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:16 LTE

< vulms.vu.edu.pk

BC218426964: MUHAMMAD TALHA AMIAD

Time Left: 87 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 1 Quiz)

Quiz Start Time: 07:35 PM, 03 December 2022

Question # 2 of 5 ( Start time: 07:18:23 PM, 03 December 2022 )

Total Marks: 1

Short data type store \_\_\_\_\_ bytes of memory.

Select the correct option

Reload Math Equations

☐ 1

☐ 4

☐ 3

☐ 2

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:17 LTE

[vulms.vu.edu.pk](https://vulms.vu.edu.pk)

BC210426964: MUHAMMAD TALHA AMIAD Time Left: 88 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 1 Quiz) Quiz Start Time: 07:35 PM, 03 December 2022

Question # 3 of 5 (Start time: 07:17:44 PM, 03 December 2022) Total Marks: 1

What will be the output of the following code?

```
int x = 15;  
int y = 10;  
int z = 5;  
cout << x * x - 4 * y * z;
```

Select the correct option Reload Math Equations

☐ 25

☒ -25

☐ -5

☐ 5

[Click to Solve Answer & Move to Next Question](#)

← → 🏠 12

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:20 LTE

< vulms.vu.edu.pk

BC210420964: MUHAMMAD TALHA AMIAD

Time Left: 87 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 1 Quiz)

Quiz Start Time: 07:15 PM, 03 December 2022

Question # 5 of 5 (Start time: 07:20:03 PM, 03 December 2022)

Total Marks: 1

The coding of a program is translated into machine language by \_\_\_\_\_.

Select the correct option

Reload Math Equations

☐ Linker

☐ Loader


☐ Debugger

☐ Compiler

Click to Save Answer & Move to Next Question


For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI




For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)


# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)




## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI




For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)


## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:17 Yo LTE 4G 77

🏠 vulms.vu.edu.pk/ + 3

Question # 4 of 5 ( Start time: 03:17:28 PM, 03 December 2022 )

A binary operator has \_\_\_\_ operands.

Select the correct option

<input type="radio"/>	Four
<input type="radio"/>	Three
<input type="radio"/>	One
<input type="radio"/>	Two

Click to Save

☰ □ ◀

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:18 Vo LTE 4G 77


home vulms.vu.edu.pk/ + 3

Question 2 of 5 (start time: 09:09:41 AM, 09 December 2022)

Which data type from the following will take lesser space in memory?

Select the correct option

<input type="radio"/>	short
<input type="radio"/>	char
<input type="radio"/>	int
<input type="radio"/>	float



For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

5:09 PM 30.8 K/s 62

No internet connection

vulms.vu.edu.pk/Quiz/Q

BC220204480: AYESHA MUSHTAQ Time Left: 85 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 1 Quiz) Quiz Start Time: 05:08 PM, 03 December 2022

Question # 4 of 5 (Start time: 05:09:48 PM, 03 December 2022) Total Marks: 1

Which of the following expression is correct in C/C++ language?








Select the correct option Reload Math Equations






<input type="radio"/>	$X = X + 3$
<input type="radio"/>	$Y + X = 7$
<input type="radio"/>	$3 = X + 3$
<input type="radio"/>	$X + 5 = Y + 7$

Click to Solve Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:24        38

  vulms.vu.edu.pk/Q   

BC210401009: MUHAMMAD SHARIQ

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz) Quiz

Question # 2 of 5 ( Start time: 06:23:50 PM, 06 December 2022 )

Which of the following is an example of repetition structure?









Select the correct option






<input type="radio"/>	while
<input type="radio"/>	cond
<input type="radio"/>	if-else
<input type="radio"/>	if

Click to

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:25         37

  vulms.vu.edu.pk/Q   

BC210401009: MUHAMMAD SHARIQ


CS201P - Introduction to Programming (Practical) (Lab 2 Quiz) Quiz Start Time:

Question # 3 of 5 ( Start time: 06:25:13 PM, 06 December 2022 )




In C++, which of the following option has the correct meaning of the expression "a <= b" ?

Select the correct option

<input type="radio"/>	a is less than or equal to b
<input type="radio"/>	a is less than b
<input type="radio"/>	a is greater than b
<input type="radio"/>	a is greater than or equal to b




[Click to Save Answer](#)

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz)

Question # 5 of 5 ( Start time: 06:27:59 PM, 06 December 2022 )

Which of the following C++ statements is used to show output on the screen?

Select the correct option

<input type="radio"/>	cin
<input type="radio"/>	cerr
<input type="radio"/>	cout
<input type="radio"/>	cget



Click

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:15 Vo LTE 4G 38

🏠 vulms.vu.edu.pk/ + 3

Question # 3 of 5 ( Start time: 03:14:59 PM, 06 December 2022 )

What will be the output of the following code?

```
int i = 0;
while(i!=15){
    cout << i << " ";
    i = i + 5;
}
```

Select the correct option




<input type="radio"/>	5 10
<input type="radio"/>	0 5 10
<input type="radio"/>	0 5
<input type="radio"/>	1 5 10




⏮


For any query feel free to ask princealvi9222@gmail.com


# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI


1:20 PM





H+   9 K/s 



 Quiz  
vulms.vu.edu.pk







BC200402960: MUHAMMAD SHAHZAIB

Time Left 88 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz)


Quiz Start Time: 01:13 PM, 06 December 2022

Question # 5 of 5 ( start time: 01:20:54 PM, 06 December 2022 )

Total Marks: 1

In C++, using if statement, if we want to execute more than one statement, then we have to enclose all statements in \_\_\_\_\_.

Select the correct option

 Reload Math Equations

☐ {}

☐ 0

☐ []

☐ <>

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

BC200402960: MUHAMMAD SHAHZAIB

Time Left 88  
sec(s)

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz)

Quiz Start Time: 01:13 PM, 06 December 2022

Question # 3 of 5 ( Start time: 01:17:10 PM, 06 December 2022 )

Total Marks: 1

Which of the following is an example of logical operator?

Select the correct option

 Reload Math Equations

<input type="radio"/>	&&,
<input type="radio"/>	+, *
<input type="radio"/>	/, %
<input type="radio"/>	<, >

Click to Save Answer & Move to Next Question

BC220422709: MUHAMMAD NAUMAN

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz)

Question # 4 of 5 ( Start time: 07:09:35 PM, 06 December 2022 )


In C++, using if statement, if we want to execute more than one statement, then we have to enclose all statements in \_\_\_\_\_

Select the correct option

<input type="radio"/>	0
<input type="radio"/>	{ }
<input type="radio"/>	()
<input type="radio"/>	[]

For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

BC200402960: MUHAMMAD SHAHZAIB

Time Left 88  
sec(s)

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz)

Quiz Start Time: 01:13 PM, 06 December 2022

Question # 2 of 5 ( Start time: 01:15:41 PM, 06 December 2022 )

Total Marks: 1

What will be the output of the following code?

```
int i = 0;
while(i!=15){
    cout << i << " ";
    i = i + 5;
}
```

Select the correct option

 Reload Math Equations

<input type="radio"/>	0 5
<input type="radio"/>	1 5 10
<input type="radio"/>	0 5 10
<input type="radio"/>	5 10



Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

BC200402960: MUHAMMAD SHAHZAIB

Time Left 88  
sec(s)

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz)

Quiz Start Time: 01:13 PM, 06 December 2022

Question # 4 of 5 ( Start time: 01:18:50 PM, 06 December 2022 )

Total Marks: 1

What will be the output of the following code?

```
int i = 1;
while(i < 10){
    if (i / 2 == 2)
        cout << i << " ";
    i++;
}
```

Select the correct option


 Reload Math Equations

- |                                  |     |
|----------------------------------|-----|
| <input type="radio"/>            | 6 7 |
| <input type="radio"/>            | 4 5 |
| <input type="radio"/>            | 2 4 |
| <input checked="" type="radio"/> | 2 3 |

[Click to Save Answer & Move to Next Question](#)


For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)


# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:58 PM 4G 39.0 B/S 223

🏠 vulms.vu.edu.pk/ 🔒 3

MC220205218: SYED SHAHROZ ALI

CS201P - Introduction to Programming (Practical) (Lab 2 Quiz) Quiz Start

Question # 1 of 5 (Start time: 07:58:41 PM, 06 December 2022)

In C/C++, the algebraic expression  $(b^2 - 4ac) / 2a$  can be written as:


Select the correct option

<input checked="" type="radio"/>	$(b*b - 4*a*c) / (2*a)$
<input type="radio"/>	$b*b - 4*a*c / 2*a$
<input type="radio"/>	$b*b - (4*a*c) / 2*a$
<input type="radio"/>	$b*b - 4*a*c / (2*a)$

Click to Save

For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:58 PM

vulms.vu.edu.pk

Question # 1 of 5 ( Start time: 08:58:27 PM, 10 December 2022 )

The loop, given below, will iterate\_\_\_\_\_ times.

For (int counter = 1; counter < 10; counter = counter +1)

Select the correct option

<input type="radio"/>	10
<input type="radio"/>	9
<input type="radio"/>	110
<input type="radio"/>	0

Search...

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:58 PM

vulms.vu.edu.pk

Question # 1 of 5 ( Start time: 08:58:27 PM, 10 December 2022 )

The loop, given below, will iterate\_\_\_\_\_ times.

For (int counter = 1; counter < 10; counter = counter +1)

Select the correct option

<input type="radio"/>	10
<input type="radio"/>	9
<input type="radio"/>	110
<input type="radio"/>	0

Search...

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:59 PM

vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 2 of 5 ( Start time: 08:59:09 PM, 10 December 2022 )

If a function does not return anything, its return type will be \_\_\_\_\_.

Select the correct option

<input type="radio"/>	Zero
<input type="radio"/>	Null
<input type="radio"/>	Void
<input type="radio"/>	Return 0

Search...

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:59 PM

vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 3 of 5 ( Start time: 08:59:48 PM, 10 December 2022 )

Which of the following is the first step in FOR loop?

Select the correct option

<input type="radio"/>	Incrementing condition
<input type="radio"/>	Continuation condition
<input type="radio"/>	Termination condition
<input type="radio"/>	Initialization condition

Search...

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:00 PM

vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 4 of 5 ( Start time: 09:00:33 PM, 10 December 2022 )

The operators ++ and -- are used to increment or decrement the variable value

Select the correct option

<input type="radio"/>	2
<input type="radio"/>	1
<input type="radio"/>	3
<input type="radio"/>	4

Search...

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:01 PM

vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 5 of 5 ( Start time: 09:01:31 PM, 10 December 2022 )

Which of the following structure is correct for WHILE loop?



Select the correct option

<input type="radio"/>	While (start; condition; end)
<input type="radio"/>	While (condition; end)
<input type="radio"/>	While (condition)
<input type="radio"/>	While (start; condition)

Search...

For any query feel free to ask princealvi9222@gmail.com


## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:08  

Question # 4 of 5 ( Start time: 09:07:19 PM, 10 December 2022 )


If the condition is not made false in *while* loop, what will happen?

Select the correct option

<input type="radio"/>	Syntax errors occur.
<input type="radio"/>	Loop will become infinite. 
<input type="radio"/>	Program will terminate early.
<input type="radio"/>	Program will not run at all.


For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



9:03 9:03 9:03

vulms.vu.edu.pk/

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 1 of 5 ( Start time: 09:02:53 PM, 10 December 2022 )

Which of the following is true about the *switch* statement?

Select the correct option

- ☐ It is valid for the small programs only.
- ☐ It is valid for the large programs only.
- ☐ It works efficiently on compound conditions which use logical operators.
- ☐ It cannot handle the compound conditions which use logical operators.

A large black arrow points to the fourth option: "It cannot handle the compound conditions which use logical operators."

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG 11:01 PM 52%

home vulms.vu.edu.pk/Q 5

BC220213510: ADIL ALVI Time Left

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz) Quiz Start Time: 11:01 PM, 13 Decem

Question # 1 of 5 ( Start time: 11:01:09 PM, 13 December 2022 ) Total

In C/C++ language, the subscript of array starts from -----.

Select the correct option

Reload Math Equ

☐ 1

☒ 0

☐ 3

☐ 2

Click to Save Answer & Move to Next Que

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

5G 11:04 PM 52%



vulms.vu.edu.pk/Q

5



BC220213511: WAJID ALVI

CS201P – Introduction to Programming (Practical) (Lab 4 Quiz)

Question # 3 of 5 ( **Start time: 11:04:30 PM, 13 December 2022** )

Which type of arrays are used while dealing with sentences?

Select the correct option



Integer arrays



Character arrays



Word arrays



Floating-point arrays

For any query feel free to ask princealvi9222@gmail.com




# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

## CS201P – Introduction to Programming (Practical) (Regular Quiz 1)

Question # 2 of 10 ( **Start time: 10:08:22 PM, 16 December 2022** )

If the condition is not made false in *while* loop, what will happen?

Select the correct option

- |                       |                               |
|-----------------------|-------------------------------|
| <input type="radio"/> | Program will terminate early. |
| <input type="radio"/> | Loop will become infinite.    |
| <input type="radio"/> | Program will not run at all.  |
| <input type="radio"/> | Syntax errors occur.          |
- 

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

10:22

Vol  
LTE1 4G 41%

×

Quiz

vulms.vu.edu.pk

🔗

🔖

⋮

BC220212616: AYUB HUSSAIN

CS201P - Introduction to Programming (Practical) (Regular Quiz 1)

Question # 1 of 10 ( Start time: 10:17:10 PM, 16 December 2022 )

What will be the output of the following code?

```
int i = 1;
while(i<10){
    if (i / 2 == 2)
        cout << i << " ";
    i++;
}
```

Select the correct option

☐

2 4

☐

2 3☒☐

☰

○

<

👤

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

10:35 PM

✕ vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Regular Quiz 1)

Question # 7 of 10 ( Start time: 10:35:33 PM, 16 December 2022 )

The operators ++ and -- are used to increment or decrement the variable value by \_\_\_\_\_.

Select the correct option

<input type="radio"/>	4
<input type="radio"/>	2
<input type="radio"/>	3
<input type="radio"/>	1

Search...

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

10:34 PM

22.9 K/s

✕ vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Regular Quiz 1)

Question # 6 of 10 (Start time: 10:34:06 PM, 16 December 2022)

Suppose we have an integer variable named "num" with 4567 as its value, then what will be the value of the expression "num/100"?

Select the correct option

<input type="radio"/>	456.7
<input type="radio"/>	4
<input type="radio"/>	45
<input type="radio"/>	456

Click to See Answer

Search...

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:32 PM 16.5 K/s 75%

✕ vulms.vu.edu.pk




CS201P - Introduction to Programming (Practical) (Lab 5 Quiz)


Question # 1 of 5 ( Start time: 03:32:13 PM, 24 December 2022 )

In C++, to get the value stored at a memory address, we use the \_\_\_\_\_ operator.

Select the correct option

<input type="radio"/>	dereferencing
<input type="radio"/>	logical
<input type="radio"/>	bitwise
<input type="radio"/>	arithmetic

Search...   



For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:35 PM 🔔 📶 23 K/s 75%

✕ 🔒 vulms.vu.edu.pk 🔗

CS201P - Introduction to Programming (Practical) (Lab 5 Quiz) Quiz Sto

Question # 5 of 5 ( Start time: 03:35:04 PM, 24 December 2022 )

Which of the following option gives the [value] stored at the address pointed to by the pointer variable ptr?

Select the correct option

<input type="radio"/>	ptr
<input type="radio"/>	&ptr
<input type="radio"/>	*ptr
<input type="radio"/>	Value(ptr)

Click to Save

🔍 Search... ▶ ☰ 🏠

◻ ◯ ◀ ▶

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:34 PM 24.6 K/s 75%

× 🔒 vulms.vu.edu.pk 🔗

CS201P - Introduction to Programming (Practical) (Lab 5 Quiz) Quiz 5

Question # 4 of 5 ( Start time: 03:34:18 PM, 24 December 2022 )

In C++, a one-dimensional array inside a one-dimensional array is called \_\_\_\_\_.

Select the correct option

<input type="radio"/>	One-dimensional array
<input type="radio"/>	Three-dimensional array
<input type="radio"/>	Multi-casting array
<input type="radio"/>	Two-dimensional array

Click to S

🔍 Search... ▶ ☰ 🏠

□ ○ ◀ 👤

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:33 PM 15.6 K/s 75%

✕ vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Lab 5 Quiz)

Question # 3 of 5 ( Start time: 03:33:33 PM, 24 December 2022 )




What will be the output of the following code?


```
int main(){
    char str[] = "Hello World";

    cout<<str[4];
    return 0;
}
```

Select the correct option

<input type="radio"/>	O
<input type="radio"/>	H
<input type="radio"/>	L
<input type="radio"/>	W

Search...   



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

3:32 PM 21.7 K/s 75%


× 🔒 vulms.vu.edu.pk 🔗

Question # 2 of 5 ( Start time: 03:32:49 PM, 24 December 2022 )

In C++, a sequence of objects having the same type, is called \_\_\_\_\_.

Select the correct option

<input type="radio"/>	Operator
<input type="radio"/>	Stack
<input type="radio"/>	Function
<input type="radio"/>	Array



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

5:36 4G 46%

Quiz Finished  
vulms.vu.edu.pk

BC220203935: UZMA PERVEEN Time Left 77 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 5 Quiz) Quiz Start Time: 05:35 PM, 24 December 2022

Question # 5 of 5 (start time: 05:36:36 PM, 24 December 2022) Total Marks: 1

Which of the following shows the memory address of the first element in an array?

Select the correct option

☐ array(0)

☐ array{0}

☐ array

☒ array[0]

Saving...

For any query feel free to ask princealvi9222@gmail.com


## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

What will be the output of the following code?

```
int main() {  
    int a[4]={1,2,3,4};  
    cout<< a[2];  
}
```

Select the correct option

<input type="radio"/>	4
<input type="radio"/>	3
<input type="radio"/>	2
<input type="radio"/>	1



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:26 4G 8.8 K/s 86

Quiz  
vulms.vu.edu.pk

BC220425491: ROZINA SHABIR CHUGHTAI

Time Left: 88 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 5 Quiz)

Quiz Start Time: 09:24 PM, 24 December 2022

Question # 5 of 5 (start time: 06:26:58 PM, 24 December 2022)

Total Marks: 1

Identify the invalid option.

Select the correct option

Reload Math Equations

☐ int i; double\* dp = &i;

☐ int \*ip;

☐ int \*pi = 0;

☐ char s, \*sp = 0;

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:25 4G 27.8 K/s 86

Quiz  
vulms.vu.edu.pk

BC220425491: ROZINA SHABIR CHUGHTAI

Time Left: 88 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 5 Quiz)

Quiz Start Time: 09:24 PM, 24 December 2022

Question # 4 of 5 (start time: 06:26:29 PM, 24 December 2022)

Total Marks: 1

In C++, a one-dimensional array inside a one-dimensional array is called \_\_\_\_\_.

Select the correct option

Multi-casting array

Three-dimensional array


Two-dimensional array

One-dimensional array

Click to Solve Answer & Move to Next Question


For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)


## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)




## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)




## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI






For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)






## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:09 PM   

  vulms.vu.edu.pk/Quiz   27 

BC220409835: RABIA SADDIQUE Time Left 88 sec(s)


CS201P - Introduction to Programming (Practical) (Lab 6 Quiz) Quiz Start Time: 07:08 PM, 27 December 2022

Question # 4 of 5 (Start time: 07:08:34 PM, 27 December 2022) Total Marks: 1

Which of the following is not a file opening mode?

Select the correct option Reload Math Equations




<input type="radio"/>	ios::in
<input type="radio"/>	ios::nocreate
<input type="radio"/>	ios::trunc
<input type="radio"/>	ios::ate








Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:08 PM   

  vulms.vu.edu.pk/Quiz   

BC220409835: RABIA SADDIQUE Time Left 87 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 6 Quiz) Quiz Start Time: 07:08 PM, 27 December 2022


Question # 3 of 5 ( Start time: 07:08:54 PM, 27 December 2022 ) Total Marks: 1

In C++, a file can be opened for reading by using the \_\_\_\_ function.

Select the correct option Reload Math Equations

<input type="radio"/>	write()
<input type="radio"/>	open_file()
<input type="radio"/>	read()
<input type="radio"/>	open()

Click to Save Answer & Move to Next Question



For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:55 4G 6.1 K/s 90

Quiz  
vulms.vu.edu.pk

Question # 4 of 5 ( Start time: 08:56:15 PM, 27 December 2022 )

What will be the output of the following code?

```
int main(){  
    int number[5] = {10,20,30,40,50};  
    cout << *(number+3);  
}
```

Select the correct option

☐ 50

☐ 10

☐ 30

☐ 40

Click to Save Answer

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:53 4G 10.4 K/s 90

Quiz  
vulms.vu.edu.pk

Question # 1 of 5 ( start time: 06:54:10 PM, 27 December 2022 )

In C++, `atoi()` function is used to convert \_\_\_\_\_.

Select the correct option

☐ Character string to float

☐ Character string to double

☐ Character string to long integer

☐ Character string to integer

Click to Save Answer & Move to Next

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 36 46 14% 6:35 PM

Home vulms.vu.edu.pk/ + 83

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 86 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 6 Quiz) Quiz Start Time: 06:32 PM, 27 December 2022

Question # 5 of 5 (start time: 06:35:40 PM, 27 December 2022) Total Marks: 1

What will be the output of the following code?

```
int main (int argc, char **argv) {  
    cout<<argc;  
}
```

Select the correct option

☐ 2

☐ 0

☐ Null

☒ 1

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 36 46 15% 6:34 PM

Home vulms.vu.edu.pk/ + 83

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 86 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 6 Quiz) Quiz Start Time: 06:32 PM, 27 December 2022

Question # 4 of 5 (start time: 06:34:47 PM, 27 December 2022) Total Marks: 1

To perform I/O operations on file, we must use \_\_\_\_\_ header file.

Select the correct option

☐ cstream

☐ istream

☒ hstream

☐ fstream

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 36 46 16% 6:32 PM

Home vulms.vu.edu.pk/ + 83

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 87 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 6 Quiz) Quiz Start Time: 06:32 PM, 27 December 2022

Question # 2 of 5 (start time: 06:32:49 PM, 27 December 2022) Total Marks: 1

From the following code, what will be the size of the array "name"?  
char name [] = "My full name";

Select the correct option

☒ 12

☐ 14

☐ 13

☐ 15

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Ja77

Ringtone

BC2

Time Left: 03 / 10 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 6 Quiz)

Quiz Start Time: 06:32 PM, 27 December 2022

Question # 1 of 5 ( Start time: 06:32:16 PM, 27 December 2022 )

Total Marks: 1

Suppose we have declared a two-dimensional array "multi". To access its elements using pointer, we should use referencing like \_\_\_\_\_.

Select the correct option

Reload Math Equations

☐ \*multi

☒ \*\*multi

☐ multi

☐ \*multi + 1

Click to Save Answer & Move to Next Question

Navigation icons: back, home, recent apps

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

## CS201P - Introduction to Programming (Practical) (Lab 6 Quiz)

Question # 1 of 5 ( Start time: 07:55:38 PM, 27 December 2022 )

What will be the output of the following code?

```
int main(){  
    char str1[] = "Hello ";  
    char str2[] = "World!";  
    cout << strcat(str1, str2);  
}
```

Select the correct option

- ☐ HelloWorld!
- ☒ Hello World!
- ☐ Hello
- ☐ World!

Question # 5 of 5 ( Start time: 08:00:17 PM, 27 December 2022 )

In C++, all the string manipulation function are defined inside \_\_\_\_\_ header file.

Select the correct option

- ☒ string.h
- ☐ conio.h
- ☐ iostream
- ☐ stdio.h

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

20:31 4G 24.0 KB/S 15

Quiz  
vulms.vu.edu.pk

BC220205594: MUHAMMAD ADEEL ISRAR

Time Left 88 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2)

Quiz Start Time: 08:19 PM, 30 December 2022

Question # 10 of 10 ( start time: 08:31:15 PM, 30 December 2022 )

Total Marks: 1

In C++, the precise way to declare a pointer is.

Select the correct option

☐ int ptr\*;

☐ int & ptr;

☐ int ptr;

☐ int \* ptr;

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

20:30 4G 22.0 KB/S 16

Quiz  
vulms.vu.edu.pk

BC220205594: MUHAMMAD ADEEL ISRAR

Time Left 86 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2)

Quiz Start Time: 08:19 PM, 30 December 2022

Question # 8 of 10 (Start time: 08:29:50 PM, 30 December 2022)

Total Marks: 1

\_\_\_\_\_ character is used to terminate a string.

Select the correct option

Reload Math Equations

<input type="radio"/>	End
<input type="radio"/>	Null
<input type="radio"/>	Stop
<input type="radio"/>	Full

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

20:25 4G 24.0 KB/S 17

Quiz  
vulms.vu.edu.pk

BC220205594: MUHAMMAD ADEEL ISRAR

Time Left 87 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2)

Quiz Start Time: 08:19 PM, 30 December 2022

Question # 6 of 10 (Start time: 08:25:42 PM, 30 December 2022)

Total Marks: 1

In C++, `atof()` function is used to convert \_\_\_\_\_.

Select the correct option

Character string to float

Character string to long integer

Character string to short

Character string to integer

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

20:25 4G 28.0 KB/S 17

Quiz  
vulms.vu.edu.pk

BC220205594: MUHAMMAD ADEEL ISRAR

Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2)

Quiz Start Time: 08:19 PM, 30 December 2022

Question # 5 of 10 (Start time: 08:25:11 PM, 30 December 2022) Total Marks: 1

In C++, to get the value stored at a memory address, we use the \_\_\_\_\_ operator.

Select the correct option

☐ bitwise

☐ arithmetic

☐ logical

☐ dereferencing

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

20:24 4G 13.0 KB/S 17

Quiz  
vulms.vu.edu.pk

CS201P - Introduction to Programming (Practical) (Regular Quiz 2)

Quiz Start Time: 08:19

Question # 4 of 10 (Start time: 08:24:33 PM, 30 December 2022)

Two arrays are equal if \_\_\_\_\_

Select the correct option

- ☐ Their values are equal but size is not
- ☐ Only their values are equal
- ☐ Only their size is equal
- ☐ Both their size and values are equal

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:01 PM Vo LTE 4G 4.15 K/S 47%

[vulms.vu.edu.pk/](#) 2

BC200407591: MOHSIN ALI Time Left 90 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2) Quiz Start Time: 07:58 PM, 30 December 2022

Question # 8 of 10 (Start time: 08:01:35 PM, 30 December 2022) Total Marks: 1

A variable declared inside a code block becomes the \_\_\_\_\_ variable for that block.

Select the correct option Reload Math Equations






<input type="radio"/>	Static
<input type="radio"/>	Constant
<input type="radio"/>	Local
<input type="radio"/>	Global

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:01 PM V 4G LTE 12.9 K/S 47%

  vulms.vu.edu.pk/   

BC200407591: MOHSIN ALI Time Left 90 sec(s)


CS201P - Introduction to Programming (Practical) (Regular Quiz 2) Quiz Start Time: 07:58 PM, 30 December 2022

Question # 7 of 10 (Start time: 08:01:09 PM, 30 December 2022) Total Marks: 1

In C/C++ language, the subscript of array starts from \_\_\_\_\_.

Select the correct option Reload Math Equations

<input type="radio"/>	2
<input type="radio"/>	1
<input type="radio"/>	3
<input type="radio"/>	0








Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:00 PM Vo LTE 4G 19.4 K/S 47%

  vulms.vu.edu.pk/   

BC200407591: MOHSIN ALI Time Left 90 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2) Quiz Start Time: 07:58 PM, 30 December 2022


Question # 5 of 10 (Start time: 08:00:08 PM, 30 December 2022) Total Marks: 1

To create an output file stream, we must declare the stream to be of class.

Select the correct option Reload Math Equations

☐ cstream

☐ ifstream

☒ ofstream 

☐ iostream

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:54 88%

home vulms.vu.edu.pk/ 1

CS201P - Introduction to Programming (Practical) (Regular Quiz 2) Quiz Start Time: 07:48 PM, 30 December 2022

Question # 7 of 10 ( Start time: 07:53:56 PM, 30 December 2022 ) Total Marks: 10

Which of the following two arrays are copy-able?

Select the correct option

☐ int a[5], int b[5]

☐ int a[4], int b[5]

☐ float a[4], int b[5]

☐ int a[5], float b[5]

Reload Math Equation

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:15 4G

Quiz  
vulms.vu.edu.pk

BC220417513: SEHAR GULL Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 2) Quiz Start Time: 09:15 PM, 30 December 2022

Question # 1 of 10 ( Start time: 09:15:40 PM, 30 December 2022 ) Total Marks: :

Which of the following option gives the [value] stored at the address pointed to by the pointer "ptr"?

Select the correct option Unfold Math Equations

<input type="radio"/>	ptr
<input type="radio"/>	*ptr
<input type="radio"/>	&ptr
<input type="radio"/>	Value(ptr)

Click to Solve Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:18 4G

Quiz  
vulms.vu.edu.pk

Question # 3 of 10 ( **Start time: 09:18:22 PM, 30 December 2022** )

Which of the following is the correct method to declare an array?

Select the correct option

<input type="radio"/>	array_name data_type [size];
<input type="radio"/>	data_type array_name [size];
<input type="radio"/>	[size] array_name data_type;
<input type="radio"/>	array_name [size] data_type;

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Question # 4 of 10 ( Start time: 09:18:29 PM, 30 December 2022 )

Total Marks: 1

Which type of arrays are used while dealing with sentences?

Select the correct option

 Reload Math Equations

- |                       |                       |
|-----------------------|-----------------------|
| <input type="radio"/> | Character arrays      |
| <input type="radio"/> | Floating-point arrays |
| <input type="radio"/> | Integer arrays        |
| <input type="radio"/> | Word arrays           |

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:45 PM 📶 🔋 21

[vulms.vu.edu.pk/Quiz](#) + 47 ⋮

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 10 of 10 ( Start time: 06:45:27 PM, 27 January 2023 ) Total Marks: 1

`calloc()` functions allocates multiple blocks of memory and each block have \_\_\_\_\_?



Select the correct option Reload Math Equations






- ☐ Different size
- ☐ Some length
- ☐ Same size
- ☐ Different length

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:45 PM   21

  vulms.vu.edu.pk/Quiz   

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 9 of 10 (Start time: 06:45:00 PM, 27 January 2023) Total Marks: 1

In the following code, what will be the output of i?

```
#include<iostream>
using namespace std;
main()
{
    int i;
    int &j = i;
    j = 123;
    cout<< "\n The value of i = " << i;
}
```

Select the correct option Reload Math Equations

☐ 123

☐ X012345

☐ 012345x

☐ 321

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:43 PM 📶 21

[vulms.vu.edu.pk/Quiz](#) + 47 ⋮

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)


CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 8 of 10 (Start time: 06:43:51 PM, 27 January 2023) Total Marks: 1

In C++, the default constructor takes \_\_\_\_\_.

Select the correct option Reload Math Equations

- ☐ Only two arguments
- ☐ More than two arguments
- ☐ Only one argument
- ☐ No arguments











[Click to Save Answer & Move to Next Question](#)

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:42 PM    22

  vulms.vu.edu.pk/Quiz   47 

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 7 of 10 ( Start time: 06:42:42 PM, 27 January 2023 ) Total Marks: 1

In C++, which operator is used to access the data members of the class?



Select the correct option Reload Math Equations






<input type="radio"/>	Not
<input type="radio"/>	Dot
<input type="radio"/>	And
<input type="radio"/>	Plus

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:41 PM   22%

  vulms.vu.edu.pk/Quiz   47 

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 6 of 10 (Start time: 06:41:02 PM, 27 January 2023) Total Marks: 1

Which function is automatically called when an object of a class is initiated?

Select the correct option Reload Math Equations

<input type="radio"/>	Utility function
<input checked="" type="radio"/>	Constructor
<input type="radio"/>	Friend function
<input type="radio"/>	Destructor

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 5.2 K/s 26 4G 82 6:40 PM

Home vulms.vu.edu.pk/ Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 86 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 10 of 10 ( start time: 06:40:43 PM, 27 January 2023 ) Total Marks: 1

Which one is correct syntax for declaration of a function which can return a reference?

Select the correct option

☐ &function\_name datatype (parameter list)

☒ datatype &function\_name (parameter list

☐ &datatype function\_name (parameter list)

☐ datatype (parameter list) &function\_name

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 442 B/s 26 4G 83 6:40 PM

Home vulms.vu.edu.pk/ Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 84 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 9 of 10 (Start time: 06:40:03 PM, 27 January 2023) Total Marks: 1

In C++, which of the following function causes the full definition of the function to be inserted in each place when it gets called?

Select the correct option

☐ Recursive function

☒ Inline function

☐ Library function



☐ Built-in function






Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:39 PM   23

  vulms.vu.edu.pk/Quiz   

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 5 of 10 (Start time: 06:39:49 PM, 27 January 2023) Total Marks: 1


What will be the output of the following code?

```
void sampleFunction(int = 5, float = 4, char = 'A');
int main(){
    sampleFunction(50,3.2);
}

void sampleFunction(int one,float two ,char three) {
    cout << one << " " << two << " " << three;
}
```

Select the correct option Reload Math Equations

☐ 50, 4, A

☒ 50, 3.2, A 

☐ 5, 4, A

☐ 5, 3.2, A

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 12.8 K/s 26 4G 83 6:38 PM

Home vulms.vu.edu.pk Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 86 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 7 of 10 (Start time: 06:38:33 PM, 27 January 2023) Total Marks: 1

If the memory in the free store is not sufficient enough to fulfill the request, malloc () function returns .....

Select the correct option

Reload Math Equations



<input type="radio"/>	-1
<input checked="" type="radio"/>	NULL
<input type="radio"/>	1
<input type="radio"/>	0






Click to Save Answer & Move to Next Question

Navigation icons: back, home, recent apps

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:38 PM   23

  vulms.vu.edu.pk/Quiz   47 

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)


CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 4 of 10 (Start time: 06:38:20 PM, 27 January 2023) Total Marks: 1

In C++, the name of the \_\_\_\_\_ is the same as that of a class with a preceding tilde (~) sign.

Select the correct option Reload Math Equations

<input type="radio"/>	Constructor
<input type="radio"/>	Utility function
<input type="radio"/>	Destructor
<input type="radio"/>	Friend function



Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 506 B/s 26 4G 83 6:37 PM

Home vulms.vu.edu.pk Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 82 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 6 of 10 (Start time: 06:37:35 PM, 27 January 2023) Total Marks: 1

Which of the following is not true about Destructor?

Select the correct option

Reload Math Equations

☒ Destructors take no arguments

☐ Destructors don't return a value.

☐ Destructors cannot be overloaded.



☐ Destructors cannot be used for memory manipulation.






Click to Save Answer & Move to Next Question

Navigation icons: back, home, recent apps

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:37 PM   23

  vulms.vu.edu.pk/Quiz   47 

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)


CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 3 of 10 ( Start time: 06:37:03 PM, 27 January 2023 ) Total Marks: 1

An entry in an online encyclopedia that refers to another entry whose title has been changed is an example of \_\_\_\_\_

Select the correct option Reload Math Equations

<input type="radio"/>	Reference pointer
<input type="radio"/>	Dangling pointer
<input type="radio"/>	This pointer
<input type="radio"/>	NULL Pointer



Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 190 B/s 26 4G 83 6:36 PM

Home vulms.vu.edu.pk/ Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 83 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 5 of 10 (Start time: 06:38:44 PM, 27 January 2023) Total Marks: 1

A constructor with arguments is known as.

Select the correct option

Virtual Constructor

Destructor

Parameterized Constructor

Default Constructor



Reload Math Equations






Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:35 PM   24%

  vulms.vu.edu.pk/Quiz   47 

BC220409835: RABIA SADDIQUE Time Left 89 sec(s)


CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 2 of 10 (Start time: 06:35:46 PM, 27 January 2023) Total Marks: 1

Data encapsulation can be achieved through \_\_\_\_\_

Select the correct option Reload Math Equations

<input type="radio"/>	Structures
<input type="radio"/>	Pointers
<input type="radio"/>	Arrays
<input type="radio"/>	Classes



Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 440 B/s 26 4G 84 6:34 PM

Home vulms.vu.edu.pk Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 81 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 2 of 10 (Start time: 06:34:30 PM, 27 January 2023) Total Marks: 1

Where can we declare a friend function in the class?

Select the correct option

Reload Math Equations




<input type="radio"/>	Main()
<input type="radio"/>	Anywhere
<input type="radio"/>	Nowhere
<input checked="" type="radio"/>	Void






Click to Save Answer & Move to Next Question

Navigation icons: back, home, recent apps

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

6:34 PM   

  vulms.vu.edu.pk/Quiz   47 

BC220409835: RABIA SADDIQUE Time Left 88 sec(s)


CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:34 PM, 27 January 2023

Question # 1 of 10 (Start time: 06:34:31 PM, 27 January 2023) Total Marks: 1

In C++, **sizeof** operator is used to determine \_\_\_\_\_

Select the correct option Reload Math Equations

<input type="radio"/>	Length of string
<input type="radio"/>	Length of words
<input type="radio"/>	Size of data type
<input type="radio"/>	Number of words



Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz Telenor 83 B/s 26 4G 84 6:33 PM

Home vulms.vu.edu.pk/ Share :D

BC210428904: MUHAMMAD NADEEM AKBAR Time Left 83 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz) Quiz Start Time: 06:33 PM, 27 January 2023

Question # 1 of 10 (start time: 06:33:45 PM, 27 January 2023) Total Marks: 1

\_\_\_\_\_ is a user-defined data type.

Select the correct option

☐ Constructor

☐ Pointer

☐ Function



☒ Class

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com


## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

5:30 5G 61

🏠 vulms.vu.edu.pk/Quiz/Q 2

Question # 7 of 10 ( Start time: 05:30:40 PM, 27 January 2023 )

Which one is the correct syntax to declare the *friend* function?

Select the correct option

<input type="radio"/>	FRIEND friend_function_name(int, char);
<input type="radio"/>	friend return_type friend_function_name(int, char);
<input type="radio"/>	FRIEND return_type friend_function_name(int, char);
<input type="radio"/>	Friend return_type (int, char);

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

5:27 VoLTE 4G 61

🏠 vulms.vu.edu.pk/Quiz/Q 2 ⋮

Which one is correct syntax for declaration of a function which can return a reference?

Select the correct option

<input type="radio"/>	datatype (parameter list) &function_name
<input type="radio"/>	datatype& function_name (parameter list) ←
<input type="radio"/>	&datatype function_name (parameter list)
<input type="radio"/>	&function_name datatype (parameter list)


For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Question # 10 of 10 ( Start time: 03:45:08 PM, 27 January 2023 ) Total Marks: 1

In C/C++ language, memory at runtime is allocated from \_\_\_\_\_

Select the correct option

☐ Free store(heap) 

☐ Stack

☐ ROM

☐ Hard disk

[Reload Math Equations](#)

[Click to Save Answer & Move to Next Question](#)

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

CS201P - Introduction to Programming (Practical) (Lab 9 and 10 Quiz)

Quiz Start Time: 03:37 PM, 27 January 2023

Question # 4 of 10 ( Start time: 03:40:24 PM, 27 January 2023 )

Total Marks: 1

Where to put inline function during the frequent calling inside the program from multiple source files?

Select the correct option

Reload Math Equations





- ☐ Header File
- ☐ Inside the class
- ☐ Main()
- ☐ Outside the class






Click to Save Answer & Move to Next Question



For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:27 PM  Vo LTE  4G  24.4 K/s 

  Quiz  
vulms.vu.edu.pk   

BC220212386: HAFSA JAMIL


CS201P - Introduction to Programming (Practical) (Lab 11 and 12 Quiz)

Question # 10 of 10 ( Start time: 08:27:24 PM, 28 January 2023 )

Which of the following is assignment operator?

Select the correct option




<input type="radio"/>	=
<input type="radio"/>	-
<input type="radio"/>	+
<input type="radio"/>	^








Click to

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:26 PM  Vo LTE  4G 15.9 K/s 

  Quiz  
vulms.vu.edu.pk   

BC220212386: HAFSA JAMIL


CS201P - Introduction to Programming (Practical) (Lab 11 and 12 Quiz) Qu

Question # 9 of 10 ( Start time: 08:26:49 PM, 28 January 2023 )

What is the right syntax of the **buf** for calling object by using *this* pointer?

Select the correct option

<input type="radio"/>	*this.(buf)
<input type="radio"/>	*this.buf
<input type="radio"/>	this*buf
<input type="radio"/>	(*this).buf



[Click to S](#)

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Home vulms.vu.edu.pk/ + :D ↑

Question # 10 of 10 ( Start time: 09:34:03 PM, 28 January 2023 )

Which option will be correct in order to free the space of memory allocated to a buffer (buf)?






Select the correct option

<input type="radio"/>	strcpy buf
<input type="radio"/>	delete buf
<input type="radio"/>	remove buf
<input type="radio"/>	free buf

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

 vulms.vu.edu.pk/   

CS201P - Introduction to Programming (Practical) (Lab 11 and 12 Quiz) Quiz Start Time: 09:27

Question # 9 of 10 ( Start time: 09:33:27 PM, 28 January 2023 )


Which one is not the member function of input stream?

Select the correct option

☐

 cin.get();






☐

 get(); ☐☐

Click to Save Answer &amp; Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

 vulms.vu.edu.pk/ 

Question # 7 of 10 ( Start time: 09:32:31 PM, 28 January 2023 )

Complex cadd ( Complex c1, Complex c2 );  
Which statement is true for above code?

Select the correct option

☐

Class with name of Complex has been created.

☐

Define the function named Complex.

☐

It accepts two complex numbers as parameters and returns back the resultant complex number.

☐

Creating object of class Complex with name cadd with parameters.

Click to Save Answer &amp; Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:31 PM 3G 19.0 K/S 69

🏠 vulms.vu.edu.pk/ + 📺 ⬆

CS201P - Introduction to Programming (Practical) (Lab II and I2 Quiz) Quiz Start Time: 09:2

Question # 6 of 10 ( Start time: 09:31:53 PM, 28 January 2023 )

For overloading minus (-) operator, which member operator function will be correct?


Select the correct option

<input type="radio"/>	Complex operator (complex c1- complex c2)
<input type="radio"/>	Complex (-) operator (Complex c)
<input type="radio"/>	Complex - operator (Complex c)
<input type="radio"/>	Complex operator - (Complex c)

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



The screenshot shows a web browser at the URL `vulms.vu.edu.pk/`. The page displays a quiz question titled "Question # 5 of 10 ( Start time: 09:30:53 PM, 28 January 2023 )". The question text is "What is the correct prototype of overloading of delete operator?". Below the question, there is a section labeled "Select the correct option" with a "Reload" button. Four radio button options are listed:

- ☐ new operator delete ( void \* ptr );
- ☐ void \* operator delete ( size\_t size );
- ☐ void \* operator delete ( size\_t size );
- ☐ void operator delete ( void \* ptr );

A large black arrow points to the fourth option, `void operator delete ( void * ptr );`. At the bottom right of the options, there is a button that says "Click to Save Answer & Move".

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:30 PM 3G 7.48 K/S 69

🏠 vulms.vu.edu.pk/ + 📺 ⬆

CS201P - Introduction to Programming (Practical) (Lab 11 and 12 Quiz) Quiz Start Time: 09:27 PM

Question # 4 of 10 ( Start time: 09:29:48 PM, 28 January 2023 )

Bool data type takes \_\_\_\_\_ values.

Select the correct option


☐ 0

☐ 1

☐ 2

☐ 3

Click to Save Answer & Move to Next Question



For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Home vulms.vu.edu.pk/ + :D

Question # 3 of 10 ( Start time: 09:29:04 PM, 28 January 2023 )

Which of the following option returns the state of end of file?

Select the correct option

☐ cin.eof();

☐ cin.end();

☐ cin.endoffile();

☐ cin.enddot();

Click to Save Answer

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Home vulms.vu.edu.pk/ + :D

Question # 1 of 10 ( Start time: 09:27:28 PM, 28 January 2023 )


```
if (day == daysOfMonth ( *this ))  
{  
}
```

In above code, \*this refers to:

Select the correct option


<input type="radio"/>	Today Date and Time
<input type="radio"/>	Current Class
<input type="radio"/>	Any Object
<input type="radio"/>	Current Object

Click to Save Answer & Move to Next Question




For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)


# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)




## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)


## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:46 Va LTED 4G 56

[vulms.vu.edu.pk/Quiz/Q](https://vulms.vu.edu.pk/Quiz/Q) 2

Question # 10 of 10 ( Start time: 08:46:42 PM, 28 January 2023 )

What will be out put of following code:

```
#include <iostream>
#include <iomanip>
using namespace std;
main ()
{
int num=7;
cout << setfill('*') << setw(4) << num << endl;
}
```

Select the correct option

<input type="radio"/>	7***
<input type="radio"/>	***7
<input type="radio"/>	****7
<input type="radio"/>	7****

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:45 Vo LTE 4G 56

Question # 8 of 10 ( Start time: 08:45:26 PM, 28 January 2023 )

The correct syntax of stream insertion operator is:

Select the correct option

<input type="radio"/>	<code>ostream&amp; ostream::operator &lt;&lt; (char *text);</code>
<input type="radio"/>	<code>ostream* ostream::operator &lt;&lt; ();</code>
<input type="radio"/>	<code>istream* istream::operator &gt;&gt; ();</code>
<input type="radio"/>	<code>istream&amp; istream::operator &gt;&gt; (char *text);</code>

⏮ ◻ ⏭

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:43 VoLTE 4G 57

🏠 vulms.vu.edu.pk/Quiz/Q 2

**Question # 5 of 10 ( Start time: 08:43:53 PM, 28 January 2023 )**

In the syntax of the overloaded operator function given below:  
Complex operator + (Complex & );  
What is 'operator'?





**Select the correct option**




<input type="radio"/>	Object
<input type="radio"/>	Operand
<input type="radio"/>	Keyword
<input type="radio"/>	Class

←

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

8:40   45  2.4 K/s  80

 vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=  1 

BC220414917: MUHAMMAD KASHIF Time Left: 87 sec(s)

CS201P - Introduction to Programming (Practical) (Lab 11 and 12 Quiz) Quiz Start Time: 08:32 PM, 28 January 2023

Question # 9 of 10 (Start time: 08:40:40 PM, 28 January 2023) Total Marks: 1




```
if (day == daysOfMonth ( *this ))  
{  
}
```

In above code, \*this refers to:

Select the correct option Reload Math Equations

<input type="radio"/>	Current Class
<input type="radio"/>	Any Object
<input checked="" type="radio"/>	Current Object
<input type="radio"/>	Today Date and Time


Click to Save Answer & Move to Next Question

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)




## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

BC220213511: WAJID ALVI

CS201P - Introduction to Programming (Practical)  
(Lab 11 and 12 Quiz)


Quiz Start Time: 11:39:28 PM, 28 January 2023

Question # 4 of 10 ( Start time: 11:39:28 PM, 28 January 2023 )

Which of the following operator can be overloaded?

Select the correct option

<input type="radio"/>	*
<input type="radio"/>	.
<input type="radio"/>	?
<input type="radio"/>	delete



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

BC220213511: WAJID ALVI


CS201P - Introduction to Programming (Practical)  
(Lab 11 and 12 Quiz)

Question # 6 of 10 ( **Start time: 11:41:59 PM, 28 January 2023** )

What is correct example of binary operator?







Select the correct option






<input type="radio"/>	
<input type="radio"/>	
<input type="radio"/>	
<input type="radio"/>	



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

7:11       12%


  Quiz  
vulms.vu.edu.pk   

BC220414646: DANISH HABIB Time Left 85 sec(s)


CS201P - Introduction to Programming (Practical) (Regular Quiz 3) Quiz Start Time: 07:03 PM, 30 January 2023

Question # 9 of 15 ( start time: 07:11:24 PM, 30 January 2023 ) Total Marks: 1

A constructor with arguments is known as.

Select the correct option  Reload Math Equations

<input type="radio"/>	Default Constructor
<input type="radio"/>	Parameterized Constructor
<input type="radio"/>	Destructor
<input type="radio"/>	Virtual Constructor



Click to Save Answer & Move to Next Question

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

57% 7:42 PM

CS201P – Introduction to Programming (Practical) (Lab 13 and 14 quiz)

Quiz Start Time: 07:36 PM, 11 February 2023

Question # 7 of 10 ( Start time: 07:42:40 PM, 11 February 2023 )

Total Marks: 1

Which statement about pointer is not true?

Select the correct option

Reload Math Equations

☐

Pointer contains a memory address

☐

Pointer can be 'void'☐☒

Jazz ZONG

56% 7:45 PM

Question # 10 of 10 ( Start time: 07:45:28 PM, 11 February 2023 )

Total Marks: 1

We can always specify a member initializer to call a \_\_\_\_\_constructor.

Select the correct option

Reload Math Equations


☐

Default☒☐☐

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

4:11

4G

46%

Quiz

vulms.vu.edu.pk

BC220411852: NOMAN ASLAM

Time Left 78 sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 3)

Quiz Start Time: 04:01 PM, 30 January 2023

Question # 6 of 15 ( start time: 04:11:14 PM, 30 January 2023 )

Total Marks: 1

What will be the output of the given program?

```
#include<iostream>
#include<stdlib.h>
using namespace std;
int main(){
    int * p;
    p = calloc(10,sizeof(int));
    cout<<"The number of bytes reserved are " << 10*sizeof(int);
    free (p);
    return 0;
}
```

Select the correct option

Reload Math Equations

☒

A compile error

☐

The number of bytes reserved are 20

☐

Arithmetic Error



☐






The number of bytes reserved are 40

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

4:14   4G 46%


  Quiz  
vulms.vu.edu.pk   

BC220411852: NOMAN ASLAM Time Left 88 sec(s)


CS201P - Introduction to Programming (Practical) (Regular Quiz 3) Quiz Start Time: 04:01 PM, 30 January 2023

Question # 10 of 15 ( Start time: 04:14:34 PM, 30 January 2023 ) Total Marks: 1

Which function is automatically called in C++ if we do not define it in a class?

Select the correct option  Reload Math Equations

<input type="radio"/>	Default and Parametrized Constructor
<input type="radio"/>	Parametrized Constructor
<input type="radio"/>	Default Constructor
<input type="radio"/>	Inline function








Click to Save Answer & Move to Next Question



For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI




4:16



•  4G  45%



Quiz  
vulms.vu.edu.pk



BC220411852: NOMAN ASLAM

Time Left 84  
sec(s)

CS201P - Introduction to Programming (Practical) (Regular Quiz 3)

Quiz Start Time: 04:01 PM, 30 January 2023


Question # 11 of 15 (Start time: 04:16:24 PM, 30 January 2023)

Total Marks: 1

What will be the output of the given program?

```
int main(){  
    void * p;  
    p = calloc(10,sizeof(int));  
    cout<<"The number of bytes reserved are "<<10*sizeof(int);  
    free (p);  
    return 0;  
}
```

Select the correct option


 Reload Math Equations

☐ The number of bytes reserved are 20

☒ The number of bytes reserved are 40

☐ A compile error


☐ Memory error



Click to Save Answer & Move to Next Question


For any query feel free to ask princealvi9222@gmail.com

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI



9:03

vulms.vu.edu.pk/

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 1 of 5 ( Start time: 09:02:53 PM, 10 December 2022 )

Which of the following is true about the *switch* statement?

Select the correct option

- ☐ It is valid for the small programs only.
- ☐ It is valid for the large programs only.
- ☐ It works efficiently on compound conditions which use logical operators.
- ☐ It cannot handle the compound conditions which use logical operators.

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:05 ⓘ 📶 ☁️ 🔔 📶 📶 📶 19

Question # 2 of 5 ( Start time: 09:04:32 PM, 10 December 2022 )

The operators ++ and -- are used to increment or decrement the variable value by \_\_\_\_\_






Select the correct option

<input type="radio"/>	2
<input checked="" type="radio"/>	1
<input type="radio"/>	3
<input type="radio"/>	4

□ ○ ◀

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:06      19

CS201P - Introduction to Programming (Practical) (Lab 3 Quiz)

Question # 3 of 5 ( **Start time: 09:05:24 PM, 10 December 2022** )



If a function does not return anything, its return type will be \_\_\_\_\_.

Select the correct option

<input checked="" type="radio"/>	Null
<input type="radio"/>	Void
<input type="radio"/>	Zero
<input type="radio"/>	Return 0

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:08  

Question # 4 of 5 ( Start time: 09:07:19 PM, 10 December 2022 )

If the condition is not made false in *while* loop, what will happen?

Select the correct option

<input type="radio"/>	Syntax errors occur.
<input type="radio"/>	Loop will become infinite.
<input type="radio"/>	Program will terminate early.
<input type="radio"/>	Program will not run at all.

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

## CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

9:09

vulms.vu.edu.pk/

Question # 5 of 5 ( **Start time: 09:08:46 PM, 10 December 2022** )

Which of the following is the first step in FOR loop?

Select the correct option

<input type="radio"/>	Termination condition
<input type="radio"/>	Initialization condition
<input type="radio"/>	Continuation condition
<input type="radio"/>	Incrementing condition

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

bandicam 2022-12-11 23:30-06-732.jpg

BC220408738: MUHAMMAD AHMAD

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz) Quiz Start Time: 12:28 PM, 12

Question # 1 of 5 ( Start time: 12:28:12 PM, 12 December 2022 )

Two arrays are equal if .....

For Paid Quiz please contact 03034148773

Select the correct option

☐ Only their size is equal

☐ Their values are equal but size is not

☒ Both their size and values are equal

☐ Only their values are equal

Click to Save Answer Move to

Type here to search

bandicam 2022-12-11 23:30-06-732.jpg

Question # 1 of 5 ( Start time: 12:28:12 PM, 12 December 2022 )

Two arrays are equal if .....

For Paid Quiz please contact 03034148773

Select the correct option

☐ Only their size is equal

☐ Their values are equal but size is not

☒ Both their size and values are equal

☐ Only their values are equal

Click

Type here to search

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

bandicam 2022-12-11 23:30-52-138.jpg

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz) Quiz Start Time: 12

Question # 2 of 5 ( Start time: 12:30:14 PM, 12 December 2022 )

Which of the following is the default function calling mechanism of C/C++?

For Paid Quiz please contact 03034148773

Select the correct option

- ☒ Call by Value
- ☐ Call by Function Memory
- ☐ Call by Reference
- ☐ Call by Variable Address

bandicam 2022-12-11 23:31-16-703.jpg

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz) Quiz Start Time: 12:28 PM, 12 D

Question # 3 of 5 ( Start time: 12:31:07 PM, 12 December 2022 )

A variable declared inside a code block becomes the \_\_\_\_ variable for that block.

For Paid Quiz please contact 03034148773

Select the correct option

- ☐ Static
- ☒ Local
- ☐ Constant
- ☐ Global

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

bandicam 2022-12-11 23-33-09-196.jpg

The size variable in the following program is a ..... variable.

```
#include<iostream>

-
int size;

-
int main ()
{
-
}
```

For Paid Quiz please contact 03034148773

Select the correct option

- ☐ Local
- ☐ Static
- ☐ Constant
- ☒ Global

bandicam 2022-12-11 23-35-03-483.jpg

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 12:28 PM, 12 December 2022

Question # 5 of 5 ( Start time: 12:33:33 PM, 12 December 2022 )

Which of the following is the correct method to declare an array?

For Paid Quiz please contact 03034148773

Select the correct option

- ☒ data\_type array\_name [size];
- ☐ array\_name data\_type [size];
- ☐ array\_name [size] data\_type;
- ☐ [size] array\_name data\_type;

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

**BC210402150: DILSHAD AHMAD** **Time Left 89 sec(s)**

**CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)** **Quiz Start Time: 01:43 PM, 12 December 2022**

**Question # 2 of 5 ( Start time: 01:44:19 PM, 12 December 2022 )** **Total Marks**

Which of the following is the correct way to initialize all the elements of array with 0?

Select the correct option [Reload Math Equations](#)

- ☐ `int arr[5]=All_Zero;`
- ☐ `int arr[5]={5(0)};`
- ☐ `int arr[5]={5,0}`
- ☐ `int arr[5]={0};`

**BC210402150: DILSHAD AHMAD** **Time Left 89 sec(s)**

**CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)** **Quiz Start Time: 01:43 PM, 12 December 2022**

**Question # 4 of 5 ( Start time: 01:48:20 PM, 12 December 2022 )** **Total Marks**

In C/C++ language, the subscript of array starts from .....

Select the correct option [Reload Math Equations](#)

- ☐ 1
- ☐ 3
- ☐ 2
- ☐ 0

[Click to Save Answer & Move to Next Question](#)

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

BC210402150: DILSHAD AHMAD

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Time Left 79 sec(s)

Quiz Start Time: 01:43 PM, 12 December 2022

Question # 5 of 5 ( Start time: 01:49:10 PM, 12 December 2022 )

Total Marks

Which of the following two arrays are copy-able?

Select the correct option

Reload Math Equations

- ☐ float a[4], int b[5]
- ☐ int a[4], int b[5]
- ☐ int a[5], int b[5]
- ☐ int a[5], float b[5]

Quiz

\_\_\_ character is used to termin: x

www.BANDICAM.com

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=9f63d17d-c764-4fe1-a01f-512c3468a9ad

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 03:17 PM, 12 December 2022

Question # 1 of 5 ( Start time: 03:17:46 PM, 12 December 2022 )

Total Marks: 1

\_\_\_ character is used to terminate a string

Select the correct option

Reload Math Equations

- ☐ Stop
- ☒ Null
- ☐ End
- ☐ Full

Click to Save Answer & Move to Next Question

Type here to search

24°C

3:18 PM 12/12/2022

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Quiz Start Time: 03:17 PM, 12 December 2022

Question # 3 of 5 ( Start time: 03:19:57 PM, 12 December 2022 ) Total Marks: 1

In the call by reference method, which operator is used to get the address of a variable?

Select the correct option

☐ #

☐ @

☐ %

☐ &

Click to Save Answer & Move to Next Question

Quiz Start Time: 04:09 PM, 12 December 2022

Question # 1 of 5 ( Start time: 04:09:18 PM, 12 December 2022 ) Total Marks: 1

Which of the following is the correct method to declare an array?

Select the correct option

☒ data\_type array\_name [size];

☐ array\_name data\_type [size];

☐ array\_name [size] data\_type;

☐ [size] array\_name data\_type;

By Helping Hands

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 04:09 PM, 12 December 2022

Question # 2 of 5 ( Start time: 04:09:36 PM, 12 December 2022 )

Total Marks: 1

In the *call by reference* method, which operator is used to get the address of a variable?

Select the correct option

☐ #

☒ &

☐ %

☐ @

By Helping Hands

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 04:09 PM, 12 December 2022

Question # 3 of 5 ( Start time: 04:09:52 PM, 12 December 2022 )

Total Marks: 1

Which of the following is the correct way to initialize all the elements of array with 0?

Select the correct option

☐ `int arr[5]={5(0)};`

☐ `int arr[5]={5&0}`

☐ `int arr[5]=All_Zero;`

☒ `int arr[5]={0};`

By Helping Hands

Reload Math Equations

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 04:09 PM, 12 December 2022

Question # 4 of 5 ( Start time: 04:11:11 PM, 12 December 2022 )

Total Marks: 1

Two arrays are equal if -----

Select the correct option

Reload Math Equations

By Helping Hands

☐

Only their size is equal

☒

Both their size and values are equal

☐

Their values are equal but size is not☐

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 04:09 PM, 12 December 2022

Question # 5 of 5 ( Start time: 04:12:19 PM, 12 December 2022 )

Total Marks: 1

Which type of arrays are used while dealing with sentences?

Select the correct option

Reload Math Equations

By Helping Hands

☒

Character arrays

☐

Integer arrays☐☐

For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz)

Quiz Start Time: 10:56 AM, 13 December 2022

Question # 3 of 5 ( Start time: 10:58:39 AM, 13 December 2022 )

Total Marks: 1

A variable declared inside a code block becomes the \_\_\_\_ variable for that block.

Select the correct option

Reload Math Equations

☒ Local

☐ Constant

☐ Static

☐ Global

Question # 5 of 5 ( Start time: 11:01:18 AM, 13 December 2022 )

Total Marks: 1

Which type of arrays are used while dealing with sentences?

Select the correct option

Reload Math Equations

☐ Floating-point arrays

☒ Character arrays

☐ Word arrays

☐ Integer arrays

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI


Question # 1 of 5 ( Start time: 11:04:57 AM, 13 December 2022 )

Total Marks: 1

```
char name [] = "Hello World";
```

In the above statement, a memory of \_\_\_\_\_ characters will be allocated to the array *name*.

Select the correct option

 Reload Math Equations

<input checked="" type="radio"/>	11
<input type="radio"/>	10
<input type="radio"/>	12
<input type="radio"/>	13

 Click to Save Answer & Move to Next Question



Question # 3 of 5 ( Start time: 11:06:57 AM, 13 December 2022 )

Total Marks: 1

The *size* variable in the following program is a \_\_\_\_\_ variable.

```
#include<iostream>
-
int size;
-
int main ()
```

Select the correct option

 Reload Math Equations

<input type="radio"/>	Local
<input type="radio"/>	Constant
<input checked="" type="radio"/>	Global



For any query feel free to ask [princealvi9222@gmail.com](mailto:princealvi9222@gmail.com)

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG 11:01 PM 52%

Home vulms.vu.edu.pk/Q 5

BC220213510: ADIL ALVI Time Left

CS201P - Introduction to Programming (Practical) (Lab 4 Quiz) Quiz Start Time: 11:01 PM, 13 December 2022

Question # 1 of 5 (Start time: 11:01:09 PM, 13 December 2022) Total

In C/C++ language, the subscript of array starts from -----.

Select the correct option

Reload Math Equ

☐ 1

☐ 0

☐ 3

☐ 2

Click to Save Answer & Move to Next Que

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

5G 11:04 PM 52%



vulms.vu.edu.pk/Q

5



BC220213511: WAJID ALVI

CS201P – Introduction to Programming (Practical) (Lab 4 Quiz)

Question # 3 of 5 ( **Start time: 11:04:30 PM, 13 December 2022** )

Which type of arrays are used while dealing with sentences?

Select the correct option



Integer arrays



Character arrays



Word arrays







Floating-point arrays



For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG



sec(s)

CS201P - Introduction to Programming (Practical) (Lab 13 and 14 quiz)

Quiz Start Time: 07:36 PM, 11 February 2023

Question # 1 of 10 ( Start time: 07:36:17 PM, 11 February 2023 )

Total Marks: 1

Which of the following statement is not true about overloading stream extraction operator (>>)?

Select the correct option

Reload Math Equations





☐ Second parameter is passed by reference

☒ Returns an object of type 'istream &'

☐ It can be a member operator.

☐ First parameter is of type 'istream &'

Jazz ZONG



sec(s)

Question # 2 of 10 ( Start time: 07:38:39 PM, 11 February 2023 )

Total Marks: 1

'T' is \_\_\_ data type in "template <class T>".

Select the correct option

Reload Math Equations

☐ Specific

☐ Double

☐ Float

☒ Generic

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

58% 7:39 PM

CS201P - Introduction to Programming (Practical) (Lab 13 and 14 quiz)

Quiz Start Time: 07:36 PM, 11 February 2023

Question # 3 of 10 ( Start time: 07:39:35 PM, 11 February 2023 )

Total Marks: 1

Suppose you want to find the square of a number using template square. Which data type you cannot use to call it?

Select the correct option

Reload Math Equations

☐

String

☐

Double☐☐

Jazz ZONG

58% 7:40 PM

https://vulms.vu.edu.pk/Quiz/QuizQuestion.?

1

Select the correct option

Reload Math Equations

☒




String☐☐☐








Saving...

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG





Question # 4 of 10 ( Start time: 07:40:12 PM, 11 February 2023 )

Total Marks: 1

The behaviour of the compiler in \_\_\_\_classes is the same as in template functions.

Select the correct option

Abstract




Nested








Outer

☒ Template

Reload Math Equations

Jazz ZONG





Question # 5 of 10 ( Start time: 07:41:13 PM, 11 February 2023 )

Total Marks: 1

'endl' is a type of \_\_\_\_ manipulator.

Select the correct option

Parameterized

☒ Parameter-less

User-defined

Class

Reload Math Equations

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG 57% 7:42 PM

<https://vulms.vu.edu.pk/Quiz/QuizQuestion.4>

When we call a function and pass an argument, an object or variable to the function, it is called?

Select the correct option

Reload Math Equations

<input type="radio"/>	Reference
<input type="radio"/>	Call by reference
<input type="radio"/>	Pointer
<input checked="" type="radio"/>	Call by value

Jazz ZONG 56% 7:44 PM

Question # 8 of 10 ( Start time: 07:43:22 PM, 11 February 2023 ) Total Marks: 1

Default scope for members of structures is \_\_\_\_ and default visibility for class members is \_\_\_\_.

Select the correct option

Reload Math Equations

<input checked="" type="radio"/>	Public, Private
<input type="radio"/>	Private, Private
<input type="radio"/>	Public, Public
<input type="radio"/>	Private, Public

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

56% 7:45 PM

https://vulms.vu.edu.pk/Quiz/QuizQuestion.?

1

Question # 9 of 10 ( Start time: 07:44:10 PM, 11 February 2023 )

Total Marks: 1

In function calling, by which method you can call the copy constructor?

Select the correct option

Reload Math Equations

<input type="radio"/>	Value
<input type="radio"/>	Reference
<input checked="" type="radio"/>	Call by value
<input type="radio"/>	Pointer

Jazz ZONG

56% 7:45 PM

Question # 10 of 10 ( Start time: 07:45:28 PM, 11 February 2023 )

Total Marks: 1

We can always specify a member initializer to call a \_\_\_\_\_constructor.

Select the correct option

Reload Math Equations

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG 54% 7:50 PM

CS201P - Introduction to Programming (Practical) (Lab 13 and 14 quiz) Quiz Start Time: 07:49 PM, 11 February 2023

Question # 1 of 10 ( Start time: 07:49:20 PM, 11 February 2023 ) Total Marks: 1

Default scope for members of structures is \_\_\_\_ and default visibility for class members is \_\_\_\_.

Select the correct option

Reload Math Equations

<input checked="" type="radio"/>	Public, Private
<input type="radio"/>	Private, Public
<input type="radio"/>	Private, Private
<input type="radio"/>	Public, Public

Jazz ZONG 53% 7:51 PM

CS201P - Introduction to Programming (Practical) (Lab 13 and 14 quiz) Quiz Start Time: 07:49 PM, 11 February 2023

Question # 2 of 10 ( Start time: 07:50:27 PM, 11 February 2023 ) Total Marks: 1

In function calling, by which method you can call the copy constructor?

Select the correct option

Reload Math Equations

<input checked="" type="radio"/>	Call by value
<input type="radio"/>	Pointer
<input type="radio"/>	Reference
<input type="radio"/>	Value

For any query feel free to ask princealvi9222@gmail.com



# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG 5G 52% 7:53 PM

CS201P – Introduction to Programming (Practical) (Lab 13 and 14 quiz) Quiz Start Time: 07:49 PM, 11 February 2023

Question # 5 of 10 ( Start time: 07:53:05 PM, 11 February 2023 ) Total Marks: 1

Classes defined within other classes are \_\_\_\_\_.

Select the correct option

Reload Math Equations

<input type="radio"/>	Parent Classes
<input checked="" type="radio"/>	Nested Classes
<input type="radio"/>	Outer Classes
<input type="radio"/>	Child Classes

Jazz ZONG 5G 52% 7:54 PM

CS201P – Introduction to Programming (Practical) (Lab 13 and 14 quiz) Quiz Start Time: 07:49 PM, 11 February 2023

Question # 6 of 10 ( Start time: 07:53:56 PM, 11 February 2023 ) Total Marks: 1

The behaviour of the compiler in \_\_\_\_\_ classes is the same as in template functions.

Select the correct option

Reload Math Equations

<input type="radio"/>	Abstract
<input checked="" type="radio"/>	Template
<input type="radio"/>	Outer
<input type="radio"/>	Nested

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

🔊 🔌 4G 52% 7:55 PM

CS201P – Introduction to Programming (Practical) (Lab 13 and 14 quiz)

Quiz Start Time: 07:49 PM, 11 February 2023

Question # 7 of 10 ( Start time: 07:54:42 PM, 11 February 2023 )

Total Marks: 1

Variables defined in the main function are\_\_\_\_\_to the function main().

Select the correct option

Reload Math Equations

<input type="radio"/>	Static
<input checked="" type="radio"/>	Local
<input type="radio"/>	Global
<input type="radio"/>	Private

Jazz ZONG

🔊 🔌 4G 52% 7:56 PM

Question # 8 of 10 ( Start time: 07:55:32 PM, 11 February 2023 )

Total Marks: 1

When we call a function and pass an argument, an object or variable to the function, it is called?

Select the correct option

Reload Math Equations

<input checked="" type="radio"/>	Call by value
<input type="radio"/>	Reference
<input type="radio"/>	Pointer
<input type="radio"/>	Call by reference

Click to Save Answer & Move to Next Question

For any query feel free to ask princealvi9222@gmail.com

# CS201P ALL QUIZZES 2023 SOLVED BY PRINCE ALVI

Jazz ZONG

CS201P - Introduction to Programming (Practical) (Lab 13 and 14 quiz)

Quiz Start Time: 07:49 PM, 11 February 2023

Question # 9 of 10 ( Start time: 07:56:33 PM, 11 February 2023 )

Total Marks: 1

Automatic variables are created constantly and destroyed\_\_\_\_\_.

Select the correct option

Reload Math Equations

☐ Often

☐ Sometime

☐ Never

☒ All the time

Jazz ZONG

<https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?QuizID=13&QuestionID=9>

1

We can always specify a member initializer to call a \_\_\_\_\_constructor.

Select the correct option

Reload Math Equations

☐ Non-parameterized

☒ Parameterized

☐ Default

☐ Copy

For any query feel free to ask princealvi9222@gmail.com