

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 2 of 30 (Start time: 11:13:27 AM, 01 July 2020)

Total Marks: 1

The values of x and y which satisfy the matrix equation: $\begin{pmatrix} 4 \\ y \end{pmatrix} = x \begin{pmatrix} 2 \\ 3 \end{pmatrix}$ are - - - - .

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 6 \\ 2 \end{pmatrix}$
<input type="radio"/>	$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 2 \\ 3 \end{pmatrix}$
<input type="radio"/>	$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 3 \\ 2 \end{pmatrix}$
<input type="radio"/>	$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 2 \\ 6 \end{pmatrix}$

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 30 (Start time: 12:04:38 PM, 01 July 2020)

Total Marks: 1

Which of the following is Row - Equivalent of $\begin{pmatrix} 3 & 2 \\ 1 & 2 \end{pmatrix}$?

Select the correct option

[Reload Math Equations](#)☐

$$\begin{pmatrix} 1 & 2 \\ 2 & 3 \end{pmatrix}$$

☐

$$\begin{pmatrix} 1 & 2 \\ 0 & 4 \end{pmatrix}$$

☐

$$\begin{pmatrix} 1 & 2 \\ -4 & 0 \end{pmatrix}$$

☐

$$\begin{pmatrix} 1 & 2 \\ 0 & -4 \end{pmatrix}$$

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 30 (Start time: 12:06:16 PM, 01 July 2020)

Total Marks: 1

If all the elements of one row is '0' in a matrix A then which of the following about the determinant of the matrix is true?

Select the correct option

☐ $\det(A)=0$ ☐ $\det(A)=1$ ☐ $\det(A)$ is not equal to '0'☐ $\det(A)$ is not equal to '1'

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 12 of 30 (Start time: 12:13:38 PM, 01 July 2020)

Total Marks: 1

The word algorithm comes from the famous Muslim mathematician

Select the correct option

☐


Omar Khayyam

☐

Al-Kindi

☐

Al-Khwarizimi

☐

None of these

Question # 9 of 30 (Start time: 11:21:34 AM, 01 July 2020)


Total Marks: 1

Multiplication of a partitioned matrix by a scalar is also computed _____.

Select the correct option

- ☐ row by row
- ☐ column by column
- ☐ diagonal by diagonal
- ☐ block by block

Click to Save Answer & Move to Next Question



MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 8 of 30 (Start time: 11:19:39 AM, 01 July 2020)

Total Marks: 1

A system of linear equations is said to be homogeneous if the constant terms are all

Select the correct option

☐

One

☐

Zero

☐

Both (a) and (b)

☐

None of the above

✓

Question # 1 of 30 (Start time: 12:03:57 PM, 01 July 2020)

Total Marks: 1

$$|A|.|B| = |A.B|$$


Select the correct option

☐

TRUE

☐

FALSE

A large handwritten red 'X' is drawn over the 'TRUE' option, and a large handwritten red checkmark is drawn over the 'FALSE' option, indicating that the statement is false.

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER


CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question / 15 of 30 (Start time: 01:08:01 PM, 01 July 2020)

Total Marks: 1

Let A be the matrix of order 3×2 , B be the matrix of order 2×4 and C be the matrix of order 4×5 ; then which of the following is the order of the matrix ABC?

Select the correct option

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | 3×4 |
| <input type="radio"/> | 2×2 |
| <input checked="" type="radio"/> | 3×5 |
| <input type="radio"/> | 2×5 |
- 

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 5 of 30 (Start time: 12:06:58 PM, 01 July 2020)

Total Marks: 1

At what condition $\det(AB)=(\det A)(\det B)$ is possible?

Select the correct option

- ☐ When A is a row matrix
- ☐ When A and B are $m \times n$ matrices
- ☐ When B is a column matrix
- ☐ When A and B are $n \times n$ matrices

Question # 22 of 30 (Start time: 11:38:58 AM, 01 July 2020)

Total Marks: 1

The determinant of a diagonal matrix is the product of the diagonal elements.


Select the correct option

☐

TRUE

☐

FALSE



MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 17 of 30 (Start time: 12:18:54 PM, 01 July 2020)

Total Marks: 1

For the matrix: $A = \begin{pmatrix} 4 & x+2 \\ 2x-3 & 1 \end{pmatrix}$, if $A = A^t$, then $x = \dots$.

Select the correct option

 Reload Math Equations

<input type="radio"/>	5
<input type="radio"/>	5/2
<input type="radio"/>	-5
<input type="radio"/>	Undefined.

Question # 26 of 30 (Start time: 11:43:47 AM, 01 July 2020)

Total Marks: 1

If $M=[3]$ then which of the following is the determinant of the matrix M ?

Select the correct option

- | | |
|-----------------------|-----|
| <input type="radio"/> | 1 |
| <input type="radio"/> | [1] |
| <input type="radio"/> | 3 |
| <input type="radio"/> | [3] |
- CV ✓

Question # 4 of 30 (Start time: 11:15:18 AM, 01 July 2020)

Total Marks: 1

If $\alpha = \beta$, then $\begin{vmatrix} \cos\alpha & \sin\alpha \\ \sin\beta & \cos\beta \end{vmatrix} = \dots\dots\dots$

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	$\cos 2\alpha$
<input type="radio"/>	$\sin 2\alpha$
<input type="radio"/>	1
<input type="radio"/>	∞

[Click to Give Answer & Move to Next Question](#)

Question # 21 of 30 (Start time: 11:37:53 AM, 01 July 2020)

Total Marks: 1

How many Pivot positions the matrix : $\begin{pmatrix} 2 & 3 & 1 \\ 4 & 6 & 2 \end{pmatrix}$ will have?

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	1
<input type="radio"/>	2
<input type="radio"/>	3
<input type="radio"/>	4

B ✓

[Click to Get Answer & Move to Next Question](#)

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 3 of 30 (Start time: 11:14:19 AM, 01 July 2020)

Total Marks

Why inverse of the matrix $A = \begin{bmatrix} 1 & 2 \end{bmatrix}$ is NOT possible?

Select the correct option



Because it is a square matrix.



Because it is a zero matrix.



Because it is an identity matrix.



Because it is a rectangular matrix.

Click to Save Answer & Move to Next Question

Let A be the matrix of order 3×2 , B be the matrix of order 2×4 and C be the matrix of order 4×5 ; then which of the following is the order of the matrix ABC?

Select the correct option



3×4




2×2



3×5



2×5



Question # 13 of 30 (Start time: 12:14:21 PM, 01 July 2020)

Total Marks: 1

A matrix whose all entries are zero is called ———

Select the correct option

- ☐ a) Unit matrix
- ☐ b) Null matrix
- ☐ c) Identity matrix
- ☐ (a) and (b)

✓ B

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

If two rows or columns of a square matrix are identical, then $\det(A)$ will be _____.

Select the correct option

- ☒ zero
- ☐ non zero
- ☐ one
- ☐ positive

Question 0 28 of 30 (Start time: 01:23:16 PM, 01 July 2020)

Total Marks: 1

$$|A|.|B| = |A.B|$$

Select the correct option

☐

TRUE

☐

FALSE



A decomposition of a matrix as a product of two or more matrices is called the matrix _____.



Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | composition |
| <input checked="" type="radio"/> | factorization |
| <input type="radio"/> | multiplication |
| <input type="radio"/> | transformation |

✓ B

Question # 16 of 30 (Start time: 01:47:54 PM, 01 July 2020)

If A is not invertible matrix, then



Select the correct option

<input type="radio"/>	$\det(A)=1$
<input type="radio"/>	$\det(A)=0$
<input type="radio"/>	$\det(A) \neq 0$
<input type="radio"/>	$\det(A)=-1$

✓ B

Question # 1 of 30 (Start time: 11:12:10 AM, 01 July 2020)

Total Marks: 1

A decomposition of a matrix as a product of two or more matrices is called the matrix _____.

Select the correct option

☐

composition

☐

factorization

☐

multiplication

☐

transformation

[Click to Save Answer & Move to Next Question](#)

MTH501 GRAND

QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

MTH501 GRAND QUIZ 2020


WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

If the sum of two matrices A, and B is a zero matrix then A and B are said to be



Select the correct option

<input type="radio"/>	Multiplicative inverse of each other,
<input type="radio"/>	Additive inverse of each other, 
<input type="radio"/>	Transpose of each other,
<input type="radio"/>	Determinant of each other.

The determinant of a diagonal matrix is the product of the diagonal elements.

Select the correct option

<input checked="" type="radio"/>	TRUE
<input type="radio"/>	FALSE



Question # 10 of 30 (Start time: 01:40:46 PM, 01 July 2020)

The matrix : $[x_{1k}]$, where $1 \leq k < \infty$, is an example of — — — — matrix.

Select the correct option

<input type="radio"/>	Column
<input type="radio"/>	Row
<input type="radio"/>	Square
<input type="radio"/>	Singular

✓ B

Question # 17 of 30 (Start time: 12:18:54 PM, 01 July 2020)

Total Marks: 1

For the matrix: $A = \begin{pmatrix} 4 & x+2 \\ 2x-3 & 1 \end{pmatrix}$, if $A = A^t$, then $x = \dots\dots\dots$.

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	5
<input type="radio"/>	5/2
<input type="radio"/>	-5
<input type="radio"/>	Undefined.

Question # 24 of 30 (Start time: 01:59:09 PM, 01 July 2020)

What is the maximum possible number of pivots in a '3 by 3' matrix ?



Select the correct option



0



1



3



5

Question # 24 of 30 (Start time: 11:41:32 AM, 01 July 2020)

Total Marks: 1

The system of equations:
 $x_1 = 0 = x_2$
can be expressed in the form - - - - -.

Select the correct option

Revised Math Equations

☐

$$Ax = 0$$

☐

$$Ax = b$$

☐

$$\begin{aligned} Ax &= 0 \\ By &= 1 \end{aligned}$$

☐

$$\begin{aligned} Ax &= 1 \\ By &= 0 \end{aligned}$$

Click to Save Answer & Move to Next Question

Question # 14 of 30 (Start time: 12:15:13 PM, 01 July 2020)

Total Marks: 1

The determinant of a square matrix $A = \begin{bmatrix} 3 & 2 \\ 4 & 5 \end{bmatrix}$ is

Select the correct option

[Reload Math Equations](#)☐

0

☐


7

☐

8

☐

15



MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 14 of 30 (Start time: 12:15:13 PM, 01 July 2020)


Total Marks: 1

The determinant of a square matrix $A = \begin{bmatrix} 3 & 2 \\ 4 & 5 \end{bmatrix}$ is

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	0
<input type="radio"/>	7
<input type="radio"/>	8
<input type="radio"/>	15



Question # 6 of 30 (Start time: 11:17:33 AM, 01 July 2020)

Total Marks: 1

Which of the following is an example of Matrix in reduced Echelon form?

Select the correct option

[Reveal Math Equations](#)

<input type="radio"/>	$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$
<input type="radio"/>	$\begin{pmatrix} 0 & 0 \\ 1 & 1 \end{pmatrix}$
<input type="radio"/>	$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$
<input type="radio"/>	$\begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix}$

Click to Save Answer & Move to Next Question

Question # 11 of 30 (Start time: 11:23:50 AM, 01 July 2020)

Total Marks: 1

Inverse of a matrix is given by

Select the correct option

[Reload Math Equations](#)☐

$$A^{-1} = \frac{1}{\det A} A^{-1}$$

☐

$$A^{-1} = \frac{1}{\det A} \text{adj}(A)$$


[Click to Save Answer & Move to Next Question](#)

13 ✓

Let A be the matrix of order 2×3 and B be the matrix of order 3×5 , then which of the following is the order of the matrix AB ?

Select the correct option

- ☐ 2×3
- ☐ 3×5
- ☐ 3×3
- ☐ 2×5



Click to Save Answer & Move to Next Question

MTH501 GRAND

QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 18 of 30 (Start time: 12:20:29 PM, 01 July 2020)

Total Marks: 1

Which of the following is Row - Equivalent of $\begin{pmatrix} 3 & 4 \\ 1 & 2 \end{pmatrix}$?

Select the correct option

[Reload Math Equations](#)☐

$$\begin{pmatrix} 2 & -4 \\ -1 & 3 \end{pmatrix}$$

☐

$$\begin{pmatrix} 3 & 1 \\ 4 & 2 \end{pmatrix}$$

☐

$$\begin{pmatrix} 4 & 3 \\ 2 & 1 \end{pmatrix}$$

☒

$$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$$

[Click to Save Answer & Move to Next Question](#)

If the order of matrices A, B and C are

$$2 \times 3, 3 \times 15 \text{ and } 15 \times 100$$

respectively, then the order of Product ABC= ____.

Select the correct option

<input type="radio"/>	200
<input checked="" type="radio"/>	2×100
<input type="radio"/>	100×2
<input type="radio"/>	405000

Which of the following is an example of Matrix in Echelon form?

$$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$$

B

$$\begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$$



$$\begin{pmatrix} 0 & 0 \\ 1 & 1 \end{pmatrix}$$



$$\begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix}$$

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 13 of 30 (Start time: 11:26:37 AM, 01 July 2020)

Total Marks:

Non square matrices do not have inverse

Select the correct option

☐

True

☐

False



Question # 7 of 30 (Start time: 11:18:29 AM, 01 July 2020)

Total Marks: 1

Which of the following is an example of Matrix in Echelon form?

Select the correct option

[Reload Math Equations](#)☐

$$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$$

☐

$$\begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$$

☐

$$\begin{pmatrix} 0 & 0 \\ 1 & 1 \end{pmatrix}$$

☐

$$\begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix}$$

[Click to Give Answer & Move to Next Question](#)

Question # 18 of 30 (Start time: 11:34:22 AM, 01 July 2020)

Total Marks: 1

Which of the following property does not hold for matrix multiplication?

Select the correct option

[Revisit Math Equations](#)

<input type="radio"/>	Associative
<input type="radio"/>	Distributive
<input type="radio"/>	Commutative
<input type="radio"/>	Additive inverse

[Click to Give Answer & Move to Next Question](#)

MTH501 GRAND QUIZ WITH HADI.

MTH501 GRAND QUIZ 2020

WELCOME TO HADI PAST PAPER

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

Question # 20 of 30 (Start time: 11:36:52 AM, 01 July 2020)

Total Marks: 1

A determinant does not change if we add a multiple of a row to another row.


Select the correct option

☐

TRUE

☐

FALSE



Question # 11 of 30 (Start time: 12:12:33 PM, 01 July 2020)

Total Marks:

What is the maximum possible number of pivots in a 4×6 matrix ?

Select the correct option

☐ 4☐ 6☐ 8☐ 10

inverse of the matrix $A = \begin{bmatrix} 1 & 2 \end{bmatrix}$ is NOT possible?


Correct option

because it is a square matrix.

because it is a zero matrix.

because it is an identity matrix.

because it is a rectangular matrix.



Click to Save Answer & Move to Next Question

BEST OF LUCK ! ☺